



ADVANCED MEMORY VIRTUALIZATION TECHNIQUE FOR EFFICIENT ACCESS OF DATA RESOURCES IN CLOUD ENVIRONMENT

SARABU V BALAMURALIDHAR^[1], Dr.V.BALAJI^[2]

[1][2].RESEARCH SUPERVISOR, UNIVERSITY OF ALLAHABAD, ALLAHABAD, INDIA

balajieec79@gmail.com

ABSTRACT

Operating in cloud setting and accessing its services is fascinating task. It's one amongst trendy technological areas to figure upon it for development of nation and increase economy rate. The paper deals with up desktop cloud computing services with the assistance of technique referred to as Memory Virtualization. Since virtualization is economical to extent measurability of typical desktop-as-a-service and create it appropriate for Wide space Network (WAN's) environments. Desktop-as-a-Service (DaaS) in cloud computing means user will access its own desktop services also as services of alternative desktops settled on remote servers. Memory virtualization not solely works with memory board however it conjointly maps physical memory directions to actual machine memory. The directions keep in machine memory square measure checked with incoming user shopper requests. Similar matched queries can lead to generation of information mistreatment one amongst recovery techniques referred to as Shadow Paging Technique. Information is made and keep in remote cloud setting wherever user will access the info to perform their tasks. The planned systematic model for accessing desktop services is shown in following paper by mistreatment memory virtualization technique. A comparison is additionally created between para virtualization technique and memory virtualization technique that

offers resolution in favour of memory virtualization technique.

Keywords Cloud computing, Desktop-as-a-Service (DaaS), virtualization, memory virtualization, shadow paging

Literature Survey:

Continuous efforts in field of cloud computing by varied researchers and students have created this space together of legend in IT sector. It's notable that for mistreatment multiple virtual machines to access information conjointly needs management of information and its assortment. Its resources should be managed in optimum approach in accordance with cloud suppliers service laws and agreements. Few information accessing and resource management techniques square measure shown below: employment prediction [1]: - its technique of predicting expected employment on several servers in sort of variety of requests. It needs performance model to calculate impact of varied issues related to system. Memory reusing mechanism [2]:- it's wont to decrease quantity of information transferred through live

Virtual machine system. It's dynamic method that why we are able to utilize the info resources, therefore resulting in shorter migration time and time interval. Linear planning Tasks and Resources (LSTR) [3]: - it's supported planning algorithms utilized in choosing criteria of software package. The resources square



measure distributed on basis of their priority and precedence level in cloud setting. It's done by choosing Quality of Service (QoS) parameters like value, on demand etc. The resources having a lot of demand are going to be processed 1st.

INTRODUCTION The construct of cloud computing was originated from telecommunication networking theme. Before evolution of cloud computing, there won't to be virtual networks that perform work of connecting multiple computers. Since virtual networks makes task easier and compact, therefore this idea is broaden into separate technique referred to as Virtualization. With the assistance of virtualization, one server will act as multiple servers/operating systems that distributes task into cloud segments viz Application, information and property. During this approach, task is split into variety of sub tasks and everyone these tasks square measure combined to produce optimum resolution. Our aim is to access information resources from cloud at stripped-down rate and while not violating service level agreements. Introducing virtualization technique in accessing will certainly prove helpful however it's our task to use which kind of virtualization. There square measure many forms of virtualization like Full virtualization, Hardware virtualization, Application virtualization and plenty of a lot of [4]. Typical desktop-as-service is predicated on physical servers that use tasks when process requests one by one. It ends up in wastage of your time and enormous interval. So, each these factors square measure harmful for increasing system performance. The standard desktop interface uses hardware and code put in tools. While not putting in this code, we tend to cannot access the specified services. However construct of virtual desktop clouds removes this ambiguity of installation at varied servers. Cloud computing is combination of varied

technologies like Grid computing, Virtualization, involuntary computing, omnipresent computing, P2P computing and plenty of a lot of the paper is split into followings sections: Section two deals with construct of virtualization and its importance in cloud building setting. It conjointly offers temporary summary of memory virtualization technique. Section three presents planned

systematic design model for information accessing mistreatment memory virtualization. the info is transferred from machine memory to virtualization cloud setting with the assistance of shadow paging technique. It conjointly tells however this system is employed to recover information from cloud just in case of failure of system.

ROLE OF VIRTUALIZATION IN CLOUD SECTOR to beat robust and time overwhelming tasks in less time is one amongst issue that takes virtualization to nice height. In 1990's, there wont to be single server systems that takes large time in computation of resources. they will even take years to method one request. With advent of your time, things and technology keeps on growing. a lot of advanced environments have return that needs use of distributed info resources among many levels of abstraction. the sole thanks to distribute resources equally is availableness of centralized information servers in cloud environments. therefore these conditions introduce the requirement of virtualization. Virtualization is outlined as technique to access information on multiple operative systems or servers in role of single physical server. we are able to say that single software package is connected to multiple Virtual machines for performing arts tasks. Virtualization hides physical characteristics of resources from their purchasers. It hides characteristics as a result of it's treated as like



recording equipment. Users square measure involved regarding mistreatment these services rather than knowing however they originate into cloud. That's why cloud is usually referred to as as recording equipment. this system needs use of virtual managers referred to as as Hypervisors for dominant flow of information coming back through varied incoming requests. Hypervisors square measure established best for management of resources in order that all purchasers will access information. they're set of programs that manage multiple software package or multiple instances of single software package. They manage mainframe speed, memory and apportion resources in step with software package specifications. The 3 key components viz {cheap|low value|low-cost} cost, straightforward accessible and responsibleness have created construct of virtualization to induce enclosed in each IT business.




Fig 1: Virtualization Process where single physical server is situated in middle and it is connected to virtual machines for performing tasks faster.

2.1 Memory Virtualization Technique The technique runs multiple virtual machines on single system wherever virtual management manager is liable for mapping physical memory to actual machine memory. For providing mapped directions to cloud, it uses Shadow paging technique that is elaborate in section

three of this paper. It conjointly provides provision to recover information from cloud just in case of system failure. Para-Virtualization technique: - this system is additionally one amongst best ways to access information from cloud by modifying software package kernel to virtualized directions. Paravirtualization involves modifying the OS kernel to switch non-virtualizable directions with hyper calls that communicate directly with the virtualization layer hypervisor. Para-virtualization is totally different from full virtualization wherever the unqualified OS doesn't realize it is virtualized and sensitive OS calls square measure cornered mistreatment binary translation. square measure OS-Level Virtualization and software package Virtualization techniques same? These 2 techniques usually produce confusion among users. they're outlined as follows: OS-Level Virtualization:- this system works on OS layer that's physical layer. The physical server instances square measure partitioned off into multiple isolated parts wherever every partition represents single server. The OS kernel can run one software package and supply that software package practicality to every of the partitions. software package virtualization: - It deals with use of code or applications to permit hardware to run multiple instances of many systems at the same time. These systems square measure isolated and freelance of every alternative.

2.2 problems in Cloud Computing (i) information Protection: - information Security is one amongst major part that has to be taken care of. Cloud vendors concern of losing confidential and identity of their shoppers. In cloud model, service suppliers square measure liable for maintaining information security and enterprises got to believe them. (ii) information Recovery and Availability: - All applications square measure designed by considering some laws or rules



that square measure referred to as as Service level agreements (SLA's). There square measure groups designed to support information availableness at anytime. These groups perform following tasks: information Replication System observance Maintenance Recovery from failure (iii) Management Capabilities: - though there square measure several multiple cloud suppliers, however management scale isn't satisfactory. there's nice got to improve on measurability and reconciliation options. (iv) restrictive and Compliance Standards: - In most of developing countries, cloud computing continues to be in infancy stage. There square measure varied standards that aren't notable to folks and their result of mistreatment them. 2.3 Challenges in Virtualization the highest most problems that square measure governing each industry/ organizations square measure as follows: Virtualization backup and recovery: - Recovery from virtualized servers is small bit totally different from recovery from traditional servers and databases. In virtualized servers, performing arts frequents backup might result in loss of information from cloud. though there square measure few backup vendors like Virtual Disk Development Kit (VDDK) for performing arts secure recovery however they're big-ticket and untouchable most of times. VM Sprawl: - straightforward

provision of virtual machines might result in out of management of pop-up blockers on

various cloud sites. The blockers can permit ads on sites at the same time that ends up in lack of management and handling of shopper requests. Virtual capability planning: - To estimate future behaviors of resources, building budget and acquisition ways, there square measure got to manage information with efficiency by considering varied factors like mainframe memory usage, disc space and I/O functions. VM Stall: - Most firms square measure functioning on virtualized servers. sizable amount of virtual machines is increasing day by day because of virtualized

deployment. VM Stall happens because of lack of trust in directors and performance management. Building a non-public cloud: - Deploying services from virtual machines to personal cloud is cumbersome task. It needs ton of infrastructure, geographical set-up and high investment. Also, there are not any well outlined ways for building personal cloud nonetheless.

3. LAYOUT OF SYSTEMATIC MODEL FOR ACCESSING information SERVICES IN CLOUD BY mistreatment MEMORY VIRTUALIZATION TECHNIQUE




Fig 2: Systematic architecture employing Desktop-as-a-Service for accessing data from cloud using Memory Virtualization Technique

3.1 options of planned model (a) there's one single physical supply machine that's connected to information center. The resources from these centers square measure allowed to enter virtualization cloud.

(b) Virtualization permits information to be transmitted to multiple virtual machines for performing arts quick access of information. Servers connected to information center square measure allowed to enter virtualization setting. (c) they're passed to application virtualizations service that follows Service Level Agreements (SLA's) factors like responsibility, throughput, and sturdiness etc therefore reducing SLA violation. (d) Service



Manager is employed that monitors the flow of resources inbound through application service layer. It monitors shopper request. (e) of these requests square measure sent to software package for additional process and computation however the requests might or might not suit to hardware specifications. (f) Here comes role of memory virtualization technique. It maps physical memory and memory board into actual machine memory. (g) So, there's notwithstanding of incompatibility between machine memory and memory board. (h) when mapping of resources and directions, it uses another technique referred to as Shadow paging technique. With this system, information is created accessible in remote cloud from that users will access information. (i) totally different user purchasers will currently access these resources through SaaS.




Figure 3: Shadow paging technique

3.2. analysis of memory addresses mistreatment Shadow Paging Technique If during a system, fault happens because of failure then there's provision of recovery manager in memory virtualization technique that applies varied recovery techniques to possess the correct worth in spite of failure in system. Shadow Paging is one amongst recovery techniques that job implicitly in step with memory standing. when mapping of directions from virtual to actual machine, it divides virtualized info into pages and its address is maintained in page map table. Whenever any update operation should be performed, then the info are going to be derived to new location and its address are going to be maintained in SHADOW PAGE MAP TABLE




Figure 4: Analyzed results using shadow paging virtualization technique

PAGE NUMBER	LD ADDRESS	EW ADDRESS
Page 1	3	0
Page 2	5	8
Page 3	8	4

4. CONCLUSION Accessing information and resources from cloud may be a task of issue and time overwhelming in step with ancient technology ways and desktop-as-a-service. At that point, there have



been no wide areas of technology, lack of dynamic and distributed setting, less capability of information servers, less intensity of information measure index and plenty of a lot of dangerous factors. of these factors acted as obstructers in development of cloud setting. The construct of virtualization has greatly modified the approach of accessing information in cloud in spite of varied factors. With the assistance of virtualization, it's attainable to access information from cloud by mistreatment a number of its virtualization techniques like para virtualization, memory virtualization, hardware virtualization etc. The paper has shown model for accessing desktop-as-a-service mistreatment memory virtualization technique in cloud setting. The technique proves to possess higher information potency with less proportion of violation of enterprises agreements. The paper conjointly shows recovery technique to avoid wasting resources just in case of failure in system. it's done by shadow paging technique. Overall memory virtualization technique is incredibly helpful to realize economical accessing of resources

5. REFERENCES

- [1]. Quiroz A, Kim H, Parashar M, Gnanasambandam N, Sharma N, 2009, "Towards workload provisioning for enterprise grids and clouds", IEEE/ACM international conference on grid computing. pp 50-57.
- [2]. Soramichi Akiyama, Takahiro Hirofuchi, Ryousei Takano, Shinichi Honiden, 2012, "MiyakoDori: A Memory Reusing Mechanism for Dynamic VM Consolidation", Fifth International Conference on Cloud Computing, IEEE 2012.
- [3]. Abirami S.P., Shalini Ramanathan, 2012 "Linear Scheduling Strategy for Resource allocation in CloudEnvironment", International Journal on Cloud Computing and Architecture vol.2, No.1, February.
- [4]. Christopher Clark, Keir Fraser, Steven Hand, Jacob Gorm Hanseny, Eric July, Christian Limpach, Ian Pratt, Andrew Warfield, 2005, "Live Migration of Virtual Machines", 2nd Symposium on Networked Systems Design and Implementation (NSDI), May
- [5]. Lien Deboosere , Bert Vankeirsbilck ,Pieter Simoens , Filip DeTurck , Bart Dhoedt and Piet Demeester, "Efficient resource management for virtual desktop cloud computing", Springer2012
- [6]. Gartner's 2008 Data Center Conference Instant Polling Results:Virtualization Summary – March 2, 2009
- [7]. L. Wu, S. K. Garg, and R. Buyya. SLA-based resource allocation for software as a service provider (SaaS) in cloud computing environments. In C Grid 2011, 11th IEEE/ACM International Symposium on Cluster, Cloud and Grid Computing, Newport Beach, CA, USA, May 2011
- [8]. Rao Mikkilineni, Vijay Sarathy "Cloud Computing and Lessons from the Past", Proceedings of IEEE WETICE 2009, First International Workshop on Collaboration & Cloud Computing, June 2009
- [9]. V. Krishna Reddy, B. Thirumal Rao, Dr. L.S.S. Reddy, P.Sai Kiran "Research Issues in Cloud Computing " Global Journal of Computer Science and Technology, Volume 11, Issue 11, July 2011
- [10]. Dan Sullivan, "The Definitive Guide to Cloud Computing", Realtime Publishers`